






UNBOUNDED.
UNBOUNDED.
UNBOUNDED.



FEEL THE GRIND OF SOIL
BENEATH YOUR FEET AS YOU
TAKE EACH STEP FORWARD
INTO THE UNKNOWN.
EVERY THUMP OF YOUR
HEART ECHOING WITH THE
EXCITEMENT OF NOT KNOWING
WHAT LIES AHEAD. IF EVERY
GREAT IDEA WAS ONCE A
WHAT-IF, WHAT IS STOPPING
YOU FROM EXPLORING EVERY
'MAYBE'? A SPACE DEFINING
JOURNEY AWAITS.



ADVENTURE IS OUT THERE

Join us on a journey
into the unknown.

EMBARK ON A SPACE-DEFINING JOURNEY



STUMBLE UPON SCENERIES OFF THE BEATEN PATH, AND MARVEL AT THE VASTNESS OF THE UNIVERSE FROM THE PEAK



LISTEN — CAN YOU HEAR THE WILDERNESS CALLING?

Set off on a journey unbothered by time, and paint every conquest with a palette of infinite possibilities.

Specialising in the supply and installation of innovative interior panel solutions, KompacPlus illustrate character with unrivalled prowess in an ingenious fusion of self-preserving aesthetics and practical functionality.

Years of passionate research and rigorous engineering materialised as KompacPanels that can withstand years of heavy use while retaining flawless exteriors with minimal maintenance.

Fundamentally comprising multiple layers of paper pulp soaked with resin, each panel is compressed at high temperature and pressure - forming a solid build with tough, waterproof exterior that is supremely resistant to cracks, stains, and scratches.

Scale mountains so you can see the world, and discover strength and clarity in every ascent.

Experience Italian craftsmanship that bespoke resilience in compact, versatile design since 2009.







THE TALES OF SUBTLE SENSATIONS

DISCOVER THE
HALLMARKS OF
CONTEMPORARY
LIVING THROUGH
STORIES UNTOLD

THE KOLLECTION

PLAINS | WOODS | PATTERNS

Acquaint with the elegance of soft, neutral plains. Feel the essence and character in every knot and whorl of the woods. Resonate with the soul and spirit of natural stones as you elevate style and substance to create inspiring depths.

THE FINISHINGS

KER FINISH

A subtle, non-glossy elegance that builds up over time. Accentuate colour without excess shine.

LOSA FINISH

Individuality expressed in natural aesthetics of slate stones, delicately split and honed to create inimitable and exquisite depths.

LUNA FINISH

Raw and unpretentious, unpolished stones radiate natural beauty that bears resemblance to the uneven surface of the moon.

MIKA FINISH

Deviously alluring. Captivating glaze embedded with mica flakes illuminates with sophistication and zealous finesse.

URBAN FINISH

Distinctively bold and full of moxie – embrace natural ruggedness in the likeliness of exposed concrete, painted with a special blend of concrete and stone.



PLAINS ■



EXPAND YOUR HORIZONS

Preview to experience
simplicity in neutral matte.

K1.01 PURE WHITE

K1.02 NAPLES CREAM

K1.03 LAZIO TAUPE

K1.04 CLOUD GREY

K1.05 GRAPHITE GREY

K1.06 PURE BLACK

ALTA PLAINS

LINGER IN SOFT SPACES WITH ULTRA-MATTE FINESSE

Cured with state-of-the-art German electron-beam technology, feel smoothness at the end of your fingertips that elegantly conceals a flair for authority.

Reinforced strength wrapped in refined velvet-like softness are fused with thermosetting resins that self-restores micro-scratches under gentle heat - enhancing KompacPanel's resilience and versatility to be untraceable for any marks of use or tear for longer-lasting aesthetics.



EXPAND YOUR HORIZONS

Visit our website for more information about this exquisite collection.

K8.01 GRANDE WHITE

K8.02 VERCELLI MULBERRY

K8.03 MONREALE BLUE

K8.04 GRANDE BLACK

K1.05 GRAPHITE GREY

PLAINS

KER FINISH





EXPAND YOUR HORIZONS

Preview to experience
warmth in nature's embrace.

K2.01 BRESCIA ACACIA

K2.02 ARREZA ASH OAK

K2.03 TREVISO MAPLE

K2.04 OTTAVIA NOCE


K2.02 ARREZA ASH OAK

WOODS


KER FINISH



K2.09 BURNT SIENNA ELM




K2.10 VICENZA SCURO OAK



K2.05 PAVIA HISKORY



K2.06 TRIESTE EUCALIPTO



K2.11 BERGAMO EUCALIPTO



K2.07 ROME TEAK



K2.12 BUSSERO ASH



K2.08 SICILY DARK WALNUT






EXPAND YOUR HORIZONS

Preview to experience the natural ruggedness of chiselled stones.

A vertical panel of white marble with soft, flowing grey veining.

K3.01 BIANCO MARMO

A vertical panel of grey concrete with a mottled, textured appearance.


K3.02 VARESE CONCRETE

A vertical panel of dark grey, almost black, textured material with a rough, fibrous surface.

K3.03 CRIGIO CARDOSO

A vertical panel of dark grey marble with subtle, swirling patterns.

K3.04 MILANO MARBLE

A vertical panel of light beige or cream-colored material with a fine, grainy texture.

K3.05 MATERA CHIARO

A vertical panel of dark brown, rust-colored material with a mottled, aged appearance.

K3.06 CHIASSO RUST

K3.05 MATERA CHIARO

PATTERNS

KER FINISH



CONQUER
EVERY SPACE



KOMPACTOP




A triumph of quality aesthetics and practical functionality, elevate your everyday living with KompacTop as countertops, bay windows and dining tables.

Accentuate the ambience of your home with refined elegance that withstands the stress of time. Let thematic combinations of hues and textures spark creativity in tailored fittings, allowing you to play up or tone down in any way you fancy.

K3.09 LINATE SLATE

PATTERNS

LUNA FINISH





53 — КОМПАКТ

KOMPACWALL



Embrace modern comfort that breathes life into your home in full floor-to-ceiling glory.

Using state-of-the-art technology, KompacWalls will never stain, leak or bubble over time - even when installed against plumbing or other fittings.

These panels have high tolerance for wear and tear in any conditions, and are also naturally water-resistant with little need for maintenance to care for its quality aesthetics.



K2.10 VICENZA SCURO OAK

WOODS

KER FINISH





▣ MINIMAL MAINTENANCE

▶▶ CRAFT OF PASSION

≡ WATERPROOF AND STEAM-PROOF

IN EVERY LAYER

▲ TRUSTED KITCHEN PARTNER

⋮ SATISFACTION GUARANTEED





MAXIMISED FUNCTIONALITY AT INCREDIBLY LOW MAINTENANCE

Manufactured to order, KompacPanel's signature durability is extended from its solid build to its outermost decorative surface that is equally tough and impermeable. On top of its high resistance to scratches, dents and other physical flaws, its surface can handle spills without staining - making it incredibly effortless to maintain.

An occasional wipe-down is ample to preserve its aesthetic charms for generations.





NATURAL VERSATILITY TO WITHSTAND HEAVY USE IN ANY LIVING ENVIRONMENT

Fashioned from high-density and non-porous material, KompacPanels are versatile and resilient in both dry and wet conditions.

Its natural resistance to spills and stains benefit kitchens and bathrooms where water use is high. Even under heavy use, panels do not bubble or crack over time.



AESTHETIC QUALITY ASSURED WITH HIGH TOLERANCE AGAINST HEAT

Wine and dine in the same space
where you cook.

Made from dense composite with
inherently low flammability, each
panel has a tough exterior that
tolerates high heat.

Even in direct contact with fire,
KompacPanels will not disfigure or
disintegrate - virtually indestructible
for sustainable, long-lasting use.





SUPREME DURABILITY REDEFINED IN COMPACT THICKNESS OF MERE 6 MM

Purposefully designed to endure heavy use in style, KompacPanels are customisable from shape to design to express individuality, and do not discolour or crack over time.

A delicate fusion of modern engineering and skillful Italian craftsmanship, each panel is manufactured entirely in Italy, in compliance with the BS EN 438 European Standards.



MULTI- GENERATIONAL LIVEABILITY SAFEGUARDED BY IMPERMEABLE SURFACES

KompacPanels attain its high durability from being compressed to solid form at high pressure and equally high temperature of 150 °C.

As a result, the flat and even surfaces of each panel are impervious to stains and microorganisms - guaranteed to be safe for use.



TRUST YOUR INSTINCTS AND
EXPLORE CREATIVITY WITH
PURPOSEFUL PLAY

THE WORLD IS YOUR PLAYGROUND



ENGRAVING

CARVED WITH PRECISION

DESCRIPTION

A subtle play of dimensional contrasts that add depth and character to your living space. Appeal to your visual senses with uniform precision honed by the edge of modern technology.


RECOMMENDATIONS

Ideal as light-coloured and subtly grained KompacWalls. Upright positions allow easier maintenance in between each incision compared to flat planes.


Designs not listed can be customised to order.

STANDARD DESIGNS


UPRIGHT




CROSSCUT



GRIDDED



BOXED



VINE



SCALES



NEED SOME INSPIRATION?

Visit our website for more information about this application.



TILING

ACCENTUATE AND ATTRACT

DESCRIPTION

A focal point that adds distinction to existing fittings and decors - set the mood of your cooking space in a reflection of your personality.

RECOMMENDATIONS

Dress up kitchen and bathroom walls with assorted shades and textures of tiles cut from KompacPanels to create thematic interest.



NEED SOME INSPIRATION?


Visit our website for more information about this application.

Designs not listed can be customised to order.


STANDARD DESIGNS



RHOMBUS



HIVE



SHELL



K1.01 PURE WHITE

PLAINS

KER FINISH

ULTRAVIOLET PRINTING



A HOUSE OF PICTURES

DESCRIPTION

Personalise living spaces with fine prints of your favourite images using modern digital printing. Ultraviolet lights dry printed ink instantly and enhance resistance to fading over time.

RECOMMENDATIONS

Ideal for vertical positions as KompacWall. Images must have minimum resolution of 300 dpi for best quality results.



NEED SOME INSPIRATION?

Visit our website for more information about this application.



SINK COVER

ENHANCED EFFICIENCY

DESCRIPTION

Increase kitchen efficiency with flexible panel lids that allow water to run through carefully carved openings. Keep dirty dishes out of sight as you work on added counter space at any time you fancy.

RECOMMENDATIONS

Customisable as an individual piece or pair, or as matching set with a KompacTop countertop.

Designs not listed can be customised to order.



NEED SOME INSPIRATION?

Visit our website for more information about this application.

CUSTOMISE YOUR OWN SINK COVER

STEP 1: Select preferred type of cover.

SINGLE LID



DOUBLE LIDS




STEP 2: Select preferred design.

DOTTED



ROWS



CROSSCUT



WAVES



STEP 3: Select preferred opening method.

SEMICIRCLE



SIDECUT



CENTRE



UPSIDE DOWN



K2.03 TREVISO MAPLE

WOODS

KER FINISH



DRAINAGE GROOVE

FUNCTION IN STYLE

DESCRIPTION

Cleverly etched onto countertop surfaces flush with sink openings, parallel channels catch and allow water as well as other liquids to flow directly into sinks without need for drying racks.

RECOMMENDATIONS

Free up your countertop for other kitchen chores by drying kitchenware directly on the kitchen countertop.

Length of grooves are customisable with your choice of KompacTop.



NEED SOME INSPIRATION?

Visit our website for more information about this application.

STANDARD DESIGNS

RIGHT GROOVES



LEFT GROOVES



CROSSOVER



INTEGRATED SINK

ATTENTION TO DETAIL

DESCRIPTION

Seamlessly built-in to fit countertops without hidden corners and services. Bustle about in a modern kitchen with rimless joints that allows easier clean up with one swipe.

RECOMMENDATIONS

Compliment your KompacTop countertops with Reginox single-unit sink bowls in assorted sizes.

STANDARD SIZES

TYPE 01 : 40 x 40 cm

TYPE 02 : 50 x 40 cm

TYPE 03 : 72 x 40 cm

CONCEPT DIAGRAM



NEED SOME INSPIRATION?

Visit our website for more information about this application.

The product image of the sink shown is for illustration purposes only, and may not be an actual representation of its colour.



BUILT-IN STOVE

EXCLUSIVELY SOPHISTICATED

DESCRIPTION

The staple of all modern kitchen interior - integrated countertops minimise work and stress load in the kitchen while ensuring aesthetic practicality that blends well with any interior theme.

RECOMMENDATIONS


Customise your countertop with preferred quantity of burners on PITT stoves by Reginox.




NEED SOME INSPIRATION?

Visit our website for more information about this application.

STANDARD DESIGNS






BE PLAYFULLY
CURIOUS ABOUT
THE WORLD, AND
IT WILL REWARD
YOU WITH THE
GRANDEST
ADVENTURES.



A TRIUMPH OF QUALITY AESTHETICS AND FUNCTIONALITY CRAFTED WITH MODERN TECHNOLOGY

THE MAKING OF SURFACES THAT LAST LIFETIMES

Each KompacPanel is crafted from self-supporting material comprising layers of kraft paper impregnated with thermosetting resins alternated with 0.8 mm kraft layers and surface layers of decorative paper impregnated with aminoplastic resins that are compressed at 9 MPa and 150°C.



PROPERTY

Dimensional Tolerances	Dimensional Tolerances
General Properties	Resistance to Surface Wear
	Resistance to Immersion in Boiling Water
	Resistance to Water Vapour
	Resistance to Dry Heat (160 °C/20')
	Resistance to Wet Heat (100 °C/20')
	Resistance to Impact with Large Diameter Ball
	Resistance to Scratching
	Resistance to Staining
	Lightfastness (Xenon-arc)
Other Properties	Hygiene
	Formaldehyde Emission
	Antimicrobial Products – Test for Antimicrobial Activity and Efficacy

TEST METHOD

EN 438-2.5
EN 438-2.9
EN 438-2.10
EN 438-2.12
EN 438-2.14
EN 438-2.16
EN 438-2.18
EN 438-2.21
EN 438-2.25
EN 438-2.26
EN 438-2.27
NSF
EN 13986
JIS Z 2801 : 2012

ATTRIBUTE

Thickness Tolerance
Flatness (Measured on Full-Size Sheet)
Initial Point
Mass Increase - 5 ≤ t mm
Thickness Increase - 5 ≤ t mm
Appearance - Other Finish
Appearance - Other Finish
Appearance - Other Finish
Indentation Diameter - 6 ≤ t mm with 1.8 m Drop Height
Appearance - Smooth Finishes
Appearance - Textured Finishes
Appearance - Group 1 & 2
Appearance - Group 3
Contrast
NSF/ANSI 35
Classification
Average Number of Viable Cells of Test Microorganism per Test Piece after 24 Hours

UNIT

mm
mm/m
Revolutions
%
%
Rating
Rating
Rating
Rating
Rating
Grey Scale Rating
Passing/Not Passing
Class
Quantity

VALUES

± 0.40
≤ 5
Plains: ≥ 150 Printed: ≥ 100
≤ 2.0
≤ 2.0
≥ 4
≥ 4
≥ 4
max 10
≥ 2
≥ 3
≥ 5
≥ 4
≥ 4
pass
E1
< 10



UNDERSTAND KOMPACPANELS BETTER

Download a copy of this data sheet from our website.

KOMPACSEAL

FLAWLESSLY SECURED WITH COLOUR-COORDINATED CONSISTENCY

Achieve seamless installations with KompacSeal — a colour-matching adhesive and sealant engineered to match individual colours of KompacPanels to the nearest possible shade.

Pleasantly odourless and waterproof, KompacSeal is flexible to hold KompacPanels onto any surface with a strong grip. Even on damp surfaces, KompacSeal bonds and seals as soon as it is applied, efficiently securing panels onto backsplashes, upstands and walls with very little shrinkage over time.

STANDARD COLOURS

TRANSPARENT



SNOW WHITE



SILVER GREY



SHADOW GREY



SAFARI BROWN



DARK GOLD



ASH GREY



MIDNIGHT BLACK



K1.03 LAZIO TAUPE

PLAINS

KER FINISH



CAUTIONARY NOTES AND CLEANING TIPS

EVERYDAY CLEANING

To clean your KompacPanel surface, a quick wipe-down using a clean cloth or sponge with a mild soap or detergent will do the job. Rinse the surface thoroughly with warm water and wipe dry after.

TREATING STAINS

Treat spills and stains using a mild household cleaner or detergent and a soft bristled brush.

For tough stains, use a paste of baking soda and water and apply with a soft bristled brush. Avoid excessive or forceful scrubbing to prevent damage onto the surface.

For stubborn stains, apply nail polish remover and let it stand for no more than two minutes. Rinse the surface thoroughly with warm water and wipe dry. Repeat only if colour of surface is not affected.

CAUTIONARY NOTES

Avoid direct contact of heat with countertops. Always use a heat shield or pad when using hot pans and heat-producing appliances. Extreme heat can cause cracking and blistering.

Avoid contact with harsh chemicals. In the event of contact, wipe immediately and rinse several times with warm or soapy water.

Avoid using acidic, harsh or abrasive cleaning solutions and tools.

Avoid water ponding on the top surface at all times.

Prolonged exposure of the KompacPanel surface to bleach will cause discolouration.

Do not place KompacPanels outdoors or in places with direct sunlight. UV lighting may affect the colour and shade of the panels over time.



ORIGIN OF DIRT

RECOMMENDED CLEANING PRODUCT AND METHOD

Fruit Juice, Liquor, Milk, Tea, Coffee, Jam, Wines and Spirits

Wash using soft sponge with water.

Animal and Crop Fats, Sauces, Dry Blood, Eggs

Wash with hot water and soap, rinse well and dry with cotton cloth.

Smoke Black, Jelly, Vinyl Adhesives, Watercolour Paints, Organic Residues

Wash with hot water and soap, rinse well and dry with cotton cloth.

Vegetable Oils, Markers, Wax, Residual Solvent Marks

Clean using a cotton cloth with alcohol or acetone, rinse well with cold water and dry.

Linseed Oil

Remove using cotton cloth with acetone.

Neoprene Adhesives

Remove using cotton cloth with thinner.

Synthetic Oil Paints

Remove using cotton cloth with thinner.

Silicon Traces of Residues

Remove gently using wooden or plastic scraper.

Limescale

Remove using detergent with low content of citric or acetic acid, maximum of 10% only.

DISCLAIMER

The KompacPlus Care Guide generally aims to give knowledge on technical aspects of maintaining KompacPanels. This guide in no way accounts for any form of warranty or representations, either expressed or implied, of its fitness and/or the processes required for any specific purposes. Moreover, KompacPlus shall not be held liable for any damages as a result of relying upon this care guide. The KompacPlus product suitability in the user's design and application must be verified and corroborated by the user and relevant professionals. KompacPlus reserves the right to make any amendments and changes to this care guide, whether it be on the product designs and/or descriptions at any time. The copyright of this care guide belongs to KompacPlus and its manufacturers.



UNDERSTAND KOMPACPANELS BETTER

Download a copy of our KompacPlus Care Guide from our website.

A LITTLE CARE
GOES A LONG WAY

10 YEAR PANEL INTEGRITY WARRANTY

LIMITED WARRANTY

KompacPlus Pte Ltd provides 10 Year Panel Integrity Warranty against panel delamination, swelling in thickness due to water exposure, and panel warpage. This warranty does not cover damage from physical and chemical abuse, excessive heat, non-recommended applications, acts of nature, and any other acts of customer abuse.

This warranty covers the replacement of the defective product with one of identical characteristics (colour, thickness etc) as those of the product purchased by the client. Should the said product be discontinued due to unforeseen circumstances, KompacPlus Pte Ltd reserves the right to replace the affected piece with the closest match.



CERTIFICATIONS

GREENGUARD INDOOR AIR QUALITY CERTIFICATION

KompacPlus panels carry the Greenguard Indoor Air Quality Certification from the Greenguard Environmental Institute that recognises our commitment and environmental conscientiousness towards producing healthy interiors with low chemical emissions.

FOREST STEWARDSHIP COUNCIL (FSC)

Our products bear the Forest Stewardship Council (FSC) label that certifies our sourcing processes for adhering to ethical forest management with the assurance that social, economical and ecological needs of the present and future generations are proactively assessed and responded to.

JIS Z 2801-2012 ANTIMICROBIAL PRODUCTS - TEST FOR ANTIMICROBIAL ACTIVITY AND EFFICACY

KompacPanel's surfaces inhibit the growth of microorganisms or kill them within 24-hours upon contact - ensuring a safe surface to work or handle food on.

BS 6853-1999 EVALUATION OF TOXIC FUMES

When in contact with fire, our products do not emit toxic fumes during burning, making it a safe surface in any condition.

TEMPERATURE RISE TEST OF KOMPACPLUS PANEL AND VISIBLE EFFECT ON THE SURFACE OF THE PANEL


KompacPanel can be used as either a kitchen top or a kitchen backsplash with an open flame burner stove for a continuous period of up to 3 hours - giving users a balance between KompacPanels' beauty and practicability.

BIZSAFE LEVEL 3

In striving to achieve a safe working environment for all its stakeholders, KompacPlus has been awarded the bizSAFE Level 3 for complying with the requirements in the WSHA and its subsidiary legislations.



Full report(s) of product performance and quality assurance tests are available upon request.

A photograph of a mountain range with a bird in flight. The sky is filled with soft, white clouds, and the mountains below are partially covered in snow and greenery. The bird is captured in mid-flight, its wings spread wide, against the bright sky.

BECAUSE THE BEST JOURNEYS
ARE NEVER PLANNED, WOULD
YOU ANSWER THE DOOR
WHEN OPPORTUNITY COMES
KNOCKING? DARE TO SEIZE
EVERY CHANCE TO TAKE
FLIGHT AND SOAR HIGH INTO
THE SKIES. AT THE END OF
THE DAY, SUCCESS IS DEFINED
BY THE JOURNEY, NOT THE
DESTINATION, AND IF YOU ASK
US “WHAT IF I FALL?” —
HAVE YOU EVER WONDERED
WHAT IF YOU FLY?

KOMPACPLUS PTE LTD

280 Woodlands Industrial Park E5
#04-15 Harvest @ Woodlands
Singapore 757322

T (65) 6842 0335
F (65) 6842 0353
E enquiry@kompacplus.com

DISCLAIMER

The information provided in this brochure belongs to KompacPlus Pte Ltd ("KompacPlus") and/or its manufacturers, and is for reference purposes only. KompacPlus does not warrant nor guarantee the accuracy of information displayed on the properties of KompacPlus products. Suitability of KompacPanels in any design and/or application must be verified and corroborated by the user and relevant professionals. KompacPlus is not liable for any damage resulting from reliance on this brochure, and reserves the right to amend its product descriptions at any time.

User can request for actual KompacPanel material samples, or view downloadable full-size images online at www.kompacplus.com

COPYRIGHT

Copyright © 2019 by KompacPlus Pte Ltd.
All rights reserved. No part of this book may be reproduced or used in any manner without written permission from the copyright owner.

**EXPAND YOUR HORIZONS**

Download a copy of this brochure from our website.

